

Προδιαγραφές

Weight_01	5.24 lbs (2.38 Kg)
Φυσική ανάλυση	XGA, 1024 x 768
Φωτεινότητα*	3300 ANSI Lumen
Λόγος αντίθεσης	15000:1
projectionsystem	DLP
Φακός	F=2.46-2.66, f=21.8-25.6
Aspect Ratio	Native 4:3 (5 aspect ratio selectable)
Λόγος απόστασης	1.94-2.32
Λόγος ζουμ	1.2x
Αντιστάθμιση προβολής	Vertical: 106%±2.5% (Full image height)
Υποστήριξη ανάλυσης	VGA(640 x 480) to WUXGA_RB(1920 x 1200)*RB = Reduced blanking
Οριζόντια συχνότητα	15K-102KHz
Συχνότητα κάθετης σάρωσης	23-120Hz
Διεπαφή	Computer in (D-sub 15pin) x2 *integrate with component HDMI x2 Monitor out x 1 Composite Video in (RCA) x 1 S-Video in x 1 Audio in (Mini Jack) x 1 Audio out (Mini Jack) x 1 Speaker 2W x 1 USB (Type mini B) x 1

Προδιαγραφές

	RS232 (DB-9pin) x 1 IR Receiver x1 (Front)
Διαστάσεις (Π x Υ x Β)	332.4 x 99 x 214.3 mm
Συμβατότητα HDTV	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Συμβατότητα βίντεο	NTSC, PAL, SECAM
On-Screen Display Languages	Arabic/Bulgarian/ Croatian/ Czech/ Danish/ Dutch/ English/ Finnish/ French/ German/ Greek/ Hindi/ Hungarian/ Italian/ Indonesian/ Japanese/ Korean/ Norwegian/ Polish/ Portuguese/ Romanian/ Russian/ Simplified Chinese/Spanish/ Swedish/ Turkish/ Thai/ Traditional Chinese (28 Languages)
Εξαρτήματα (περιλαμβάνονται)	Remote Control w Battery (5J.JG706.001) Warranty Card (by region) Power Cord (by region) VGA cable QSG (4J.JG701.001)
Security	Security bar / Kensington Security Slot
dmd	DC3
Κατανάλωση ρεύματος	260W(Max), 252W(Normal), 211W(Eco), Standby <0.5W
lightsource	UHP 203W
lightsoucelife	4500/6000/10000 hours
EnvironmentalNotice	Lamp in this product contains mercury. To dispose of the product or used lamps, consult your local environment authorities for regulations or see www.lamprecycle.org .
Accessories (Optional)	Spare Lamp Kit (5J.JG705.001) 3D Glasses

Προδιαγραφές

	Ceiling mount Dust Filter
projectionsize	60"~300"
3dcompatibility	Frame Sequential: Up to 60Hz 720p Frame Packing: Up to 24 Hz 1080p Side by Side: Up to 24Hz 1080p Top Bottom: Up to 60Hz 1080p
noiselevel	32/29 dBA (Normal/Economic mode)
Power Supply	AC100 to 240V, 50 to 60 Hz